



洛 阳 建 龙 微 纳 新 材 料 股 份 有 限 公 司
Luoyang Jalon Micro-nano New Materials Co., Ltd.

Add: Junmin Rd. Ind. Cluster District, Yanshi, Henan, 471900, China
Tel: +86-379-6989 5719 Fax: +86-379-6989 5717

Material Safety Data Sheet

Date: Jan/01/2026

Section 1 -Chemical Product And Company Identification

Product Name: Activated Alumina

Product Use: Desiccant

Manufacturer Identification:

Luoyang Jalon Micro-nano New Materials Co., Ltd.

Add: Junmin Rd., Ind. Cluster District, Yanshi, Henan, 471900, China.

Tel: +86-379-69895719

Fax: +86-379-69895717

SECTION 2 -COMPOSITION, INFORMATION ON INGREDIENTS

CAS#	Chemical Name	%	EINECS#
1344-28-1	Aluminum oxide	≥88.00	215-691-6

Hazard Symbols: None Listed. Risk Phrases: None Listed.

SECTION 3 -HAZARDS IDENTIFICATION **

EMERGENCY OVERVIEW: Not available.

Potential Health Effects

Eye: May cause eye irritation.

Skin: May cause skin irritation. May be harmful if absorbed through the skin. Ingestion: May cause irritation of the digestive tract. May be harmful if swallowed. Inhalation: May cause respiratory tract irritation. May be harmful if inhaled. Chronic: Chronic exposure may cause lung damage.

SECTION 4 -FIRST AID MEASURES

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.



洛 阳 建 龙 微 纳 新 材 料 股 份 有 限 公 司
Luoyang Jalon Micro-nano New Materials Co., Ltd.

Add: Junmin Rd. Ind. Cluster District, Yanshi, Henan, 471900, China

Tel: +86-379-6989 5719

Fax: +86-379-6989 5717

Ingestion: Get medical aid. Wash mouth out with water.

Inhalation: Remove from exposure and move to fresh air immediately.

Notes to Physician: Treat symptomatically and supportively.

SECTION 5 -FIRE FIGHTING MEASURES

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is noncombustible.

Extinguishing Media: Use extinguishing media most appropriate for the surrounding fire.

SECTION 6 -ACCIDENTAL RELEASE MEASURES

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container.

SECTION 7 -HANDLING and STORAGE

Handling: Avoid breathing dust, vapor, mist, or gas. Avoid contact with skin and eyes.

Storage: Store in a cool, dry place. Store in a tightly closed container.

SECTION 8-EXPOSURE CONTROLS, PERSONAL PROTECTION

Engineering Controls: Use adequate ventilation to keep airborne concentrations low.

Exposure Limits CAS# 1344-28-1:

Personal Protective Equipment

Eyes: Not available. Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure. Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

SECTION 9 -PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Powder Color: white Odor: Not available. pH: Not available. Vapor Pressure:

Not available. Viscosity: Not available. Boiling Point: 2977 deg C @760mmHg

Freezing/Melting Point: 2030 deg C Autoignition Temperature: Not available. Flash Point:



洛 阳 建 龙 微 纳 新 材 料 股 份 有 限 公 司
Luoyang Jalon Micro-nano New Materials Co., Ltd.

Add: Junmin Rd. Ind. Cluster District, Yanshi, Henan, 471900, China

Tel: +86-379-6989 5719

Fax: +86-379-6989 5717

Not available. Explosion Limits, lower: Not available. Explosion Limits, upper: Not available.
Decomposition Temperature: Solubility in water: Specific Gravity/Density: Molecular
Formula: Al_2O_3 Molecular Weight: 101.96

SECTION 10 -STABILITY AND REACTIVITY

Chemical Stability: Stable. Conditions to Avoid: Incompatible materials, exposure to moist air
or water. Incompatibilities with Other Materials:

Ethylene oxide, halogenated agents, nitrates, oxygen difluoride, vinyl acetate. Hazardous
Decomposition Products: Aluminum oxide. Hazardous Polymerization: Will not occur.
Toxicological:None.

SECTION 11 -TOXICOLOGICAL INFORMATION

RTECS#: CAS# 1344-28-1: BD1200000

LD50/LC50: Not available.

Carcinogenicity: Aluminum oxide

Not listed by ACGIH, IARC, or NTP.

Other: See actual entry in RTECS for complete information.

SECTION 12 -ECOLOGICAL INFORMATION

Environmental Fate: No information found.

Environmental Toxicity: No information found.

SECTION 13 -DISPOSAL CONSIDERATIONS

Dispose of in a manner consistent with federal, state, and local regulations.

SECTION 14 -TRANSPORT INFORMATION

IATA Not regulated as a hazardous material.

IMO Not regulated as a hazardous material.

IMDG Not regulated as a hazardous material.

RID/ADR Not regulated as a hazardous material.

SECTION 15 -REGULATORY INFORMATION

European/International Regulations



洛 阳 建 龙 微 纳 新 材 料 股 份 有 限 公 司
Luoyang Jalon Micro-nano New Materials Co., Ltd.

Add: Junmin Rd. Ind. Cluster District, Yanshi, Henan, 471900, China

Tel: +86-379-6989 5719

Fax: +86-379-6989 5717

European Labeling in Accordance with EC Directives

Hazard Symbols: Not available.

Risk Phrases:

Safety Phrases:

S 24/25 Avoid contact with skin and eyes.

WGK (Water Danger/Protection)

CAS# 1344-28-1:

Canada

CAS# 1344-28-1 is listed on Canada's DSL List.

CAS# 1344-28-1 is listed on Canada's Ingredient Disclosure List.

US FEDERAL

TSCA

CAS# 1344-28-1 is listed on the TSCA inventory.

SECTION 16 -ADDITIONAL INFORMATION

MSDS Creation Date: 01/01/2021

last updated: 01/01/2023

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.